

## Glitter Effect Flex Heat Transfer Film for Holographic Effect Heat Transfer Garments

## **Basic Information**

- Place of Origin:
- Zhejiang, China
- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Price: Supply Ability:
- ZXholo, ZXholo Heat Transfer Vinyl Heat Transfer Film 25 square meters \$5.50 - \$12.00/square meters 80000 Square Meter/Square Meters per Month




## **Product Specification**

Highlight:	110 micron glitter lamination film, 110 micron glitter cold lamination film
Length:	25 M , 50 M Per Roll
• Width:	500 Mm
Thickness:	110 Micron , 150 Micron
Color:	Yellow
<ul> <li>Material Type:</li> </ul>	Film
• Temperature:	High
• Туре:	Heat Transfer
<ul> <li>Application:</li> </ul>	Clothing
<ul> <li>Material:</li> </ul>	PU



## More Images



## **Product Description**



## **Products Description**

#### Thermal Glitter transparent lamiantion film roll

The thermal glitter transparent lamiantion film is used to lamiantion paper board after printing

Materials: CPP Basic

Thickness : 110 micron, 120 micron

Width : 1020 mm, 1200 mm , 1300 mm

Length : 1000 m per roll

#### Size of roll :

300 mm \* 100 m

300 mm \* 200 m

330 mm \* 100 m

330 mm \* 200 m

300 mm \* 1000 m

500 mm \* 1000 m

1020 mm mm \* 1000 m

Accept customized the roll size

Pakcing : Carton, pallet

Delivery time: 3 - 15 days

#### Features

Environmentally friendly: It is environmentally friendly, non-hazardous to health and safe to use as no toxic gases or volatile content is emitted. Safety in laminating process as no solvent based adhesive is used. Easy handling: It is easy to operate once the required temperature is met and no special technique required.

Adaptable to different kinds of machines: This film is recommended to be used in dry laminator. Small adjustments need to be made to the machine if the film is used in wet laminator.

#### **Process Parameter:**

Equipment for laminating film:dry and wet film laminator Temperature:Normal:85~100°C / Special:100~110°C Roller pressure:10~18Mpa Speed:8~50m/min Remarks:Special laminations refer to those with thicker ink, solid color, high moisture content and bigger size paper.

#### Application manual:

1. Adjust roller pressure and temperature according todifferent types of paper and ink.


2. When using the film for the first time or changing to other sizes, we recommend a small trial volume before going into fully mass lamination.


**Our Services** Free sample Answer all of inquiry within 7 hours On time delivery



Application And Customization









## COMPANY PROFIL

Wenzhou Zhanxin New Materials Technology Co., Ltd.

## ABOUT OUS :

Wenzhou Zhanxin New Materials Technology Co., Ltd.

is located in Wan Yang Industrial City, Binhai Area, Pingyang, Wenzhou City .

The Zhanxin's a professional Manufacturer of

holographic lamination films, Thermal

holographic films ,Glitter film, 3D Lens film, cold stamping foil and packaging & printing materials in China.





Production Machine


#### OUR PRODUCTION ABILITY

- 1. The production of Holographic film is more than 60 tons per month.
- 2. The production capacity of cold stamping foil is 700000 square meters.
- 3. The production of 3D Lens holographic film and glitter film is 20 tons per month.

## **Exhibitions And Visions**

# EXHIBITIONS AND VISIONS

Wenzhou Zhanxin New Materials Technology Co., Ltd.





### **OUR VISION:**

1. Industry experts in the manufacture of packaging and printing materials

2. Providing the use of printed packaging materials and supporting solutions

3. Provide high quality products that meet customer needs, solve customer demands in a timely manner and solve customer demand problems in real time

## Certifications



