

# Transparent Bopp Laminating Film Roll For Thermal Lamination Packaging Efficiency

# **Basic Information**

- Place of Origin:
- Brand Name:
- Minimum Order Quantity:
- 10000 square meters • Price: \$0.10/square meters 10000-19999 square meters • Packaging Details: Carton, Pallet. • Supply Ability: 100000 Square Meter/Square Meters per Month

ΖX

Zhejiang, China




# **Product Specification**

- Industrial Use:
- Gift & Craft Other Gift & Craft • Material: Bopp Holographic Film • Usage: Packaging Film Moisture Proof • Feature: Hardness: Soft • Processing Type: Multiple Extrusion • Transparency: Transparent • Product Name: Holographic Thermal Lamination Film Application: Package • Using: Hot Lamination Process Wrapping Film, PE Bubble Film, Pallet Packing: • Port: Ningbo, Shanghai Highlight: Transparent Bopp Laminating Film,




### More Images



Our Product Introduction

### **Product Description**

### Transparent Bopp Laminating Film Roll For Thermal Lamination Packaging Efficiency




### **Products Description**


### Thermal Holographic Lamination Films


- 1. Material: BOPP and PET.
- 2. Size:according to customer's required it
- 3. Soft clear film
- 4. Hot lamination


Materials	BOPP and PET
Size	according to customer's require
Environmentally friendly	It is environmentally friendly,non-hazardous to health and safe to use as no t oxic gases or volatile content is emitted.Safety in laminating process as no solvent based adhesive is used.
High function	Compared with other solvent lamination, our film is better in clarity and bonding. Strong ability of absorbing powder, It prevents lamination from being pressed, bubbled and shredded off easily.Matt thermal lamination film is good for spot UV and hot stamping.
Easy handling	It is easy to operate once the required temperature is met and no special technique required.
Efficient and energy-saving	Production cost is reduced substantially as there is no film wastage, mixture of adhesive solvent, and no UV heating lamp is required.
Adaptable to different kinds of machines	This film is recommended to be used in dry laminator. Small adjustments need to be made to the machine if the film is used in wet laminator.
Temperature	Normal:60~100°C / Special:100~110°C

# **Our Product Introduction**










Application And Customization



### ON TIME DELIVERY

MORE THAN 10 YEARS OF EXPERIENCE

SMALL ORDER QUANTITY IS ACCEPTED IT

# **Company Profile**

Co., Ltd.

in China.



:

33

田田



### OUR PRODUCTION ABILITY


1. The production of Holographic film is more than 60 tons per month.

2. The production capacity of cold stamping foil is 700000 square meters.

3 . The production of 3D Lens holographic film and glitter film is 20 tons per month.

# **Exhibitions And Visions**

# **EXHIBITIONS AND VISIONS** Wenzhou Zhanxin New Materials Technology Co., Ltd.



KIK

# OUR VISION:

1. Industry experts in the manufacture of packaging and printing materials

2. Providing the use of printed packaging materials and supporting solutions


3. Provide high quality products that meet customer needs, solve customer demands in a timely manner and solve customer demand problems in real time

# Certifications



# **Related Products**





No.1, Mocheng Industrial Zone, Aojiang Town, Pingyang County, Wenzhou City, Zhejiang, China